

Contego Wall Terminal 125mm Black and Grey



Centrotherm
solutions beyond

Article number: 188844




Product introduction

The Wall Terminal 125 mm is a metal terminal designed for use in central mechanical ventilation systems. Suitable for both supply and exhaust air, it connects directly to our Aerfoam insulated ducts and ensures efficient airflow between the ventilation unit and the outdoor environment. Its powder-coated finish provides long-lasting protection and UV resistance, while the front grille prevents birds and small animals from entering.

- Direct connection to Aerfoam insulated ducts
- Airtight mechanical connection
- Equipped with a protective mesh
- Powder-coated finish for long-lasting aesthetics and UV resistance

Product dimensions



Contego Wall Terminal 125mm Black and Grey



Centrotherm
solutions beyond

Article number: 188844

Technical specifications

| Specifications | |
|-------------------|------------------|
| Technical | |
| Color | Anthracite |
| Diameter | 125 mm |
| Airflow direction | Supply / extract |
| Dimensions | |
| Length gross | 266 mm |
| Width | 343 mm |
| Height | 282 mm |
| Net weight | 0.688 kg |

© 2026 Ubbink. All rights reserved. | Content is subject to change without notice. Availability and configurations may differ per country. | UB-22-01-2026-INT-EN

Contego Wall Terminal 125mm Black and Grey



Centrotherm
solutions beyond

Article number: 188844

Technical details

| | Air Supply | | Air Extract | |
|------------------------|------------|---------|-------------|---------|
| Zeta [-] | 0,57 | | 1,41 | |
| Qv [m ³ /h] | v [m/s] | Δp [Pa] | v [m/s] | Δp [Pa] |
| 0 | 0,0 | 0,0 | 0,0 | 0,0 |
| 50 | 1,1 | 0,4 | 1,1 | 1,1 |
| 100 | 2,3 | 1,7 | 2,3 | 4,3 |
| 150 | 3,4 | 3,9 | 3,4 | 9,6 |
| 200 | 4,5 | 6,9 | 4,5 | 17,0 |
| 250 | 5,7 | 10,8 | 5,7 | 26,6 |