Contego Wall Terminal 125mm Black and Grey

Article number: 188844

Centrotherm
solutions beyond

ubbink

Product overview

The Wall Terminal 125 mm is a metal terminal designed for use in central mechanical ventilation systems. Suitable for both supply and exhaust air, it connects directly to our Aerfoam insulated ducts and ensures efficient airflow between the ventilation unit and the outdoor environment. Its powder-coated finish provides long-lasting protection and UV resistance, while the front grille prevents birds and small animals from entering.

- Direct connection to Aerfoam insulated ducts
- Airtight mechanical connection
- Equipped with a protective mesh
- Powder-coated finish for long-lasting aesthetics and UV resistance

Product dimensions





© 2026 Ubbink. All rights reserved.| Content is subject to change without notice. Availability and configurations may differ per country. | UB-25-06-2026-INT-EN

Contego Wall Terminal 125mm Black and Grey

Article number: 188844

Centrotherm
solutions beyond

Technical specifications

Technical	
Color	Anthracite
Diameter	125 mm
Airflow direction	Supply / extract
Dimensions	
Length gross	266 mm
Width	343 mm
Height	282 mm
Net weight	0.688 kg

© 2026 Ubbink. All rights reserved.| Content is subject to change without notice. Availability and configurations may differ per country. | UB-25-06-2026-INT-EN

Contego Wall Terminal 125mm Black and Grey

Article number: 188844

Centrotherm
solutions beyond

Technical details

	Air Supply		Air Extract	
Zeta [-]	0,57		1,41	
Qv [m³/h]	v [m/s]	Δp [Pa]	v [m/s]	Δp [Pa]
0	0,0	0,0	0,0	0,0
50	1,1	0,4	1,1	1,1
100	2,3	1,7	2,3	4,3
150	3,4	3,9	3,4	9,6
200	4,5	6,9	4,5	17,0
250	5,7	10,8	5,7	26,6

© 2026 Ubbink. All rights reserved.| Content is subject to change without notice. Availability and configurations may differ per country. | UB-25-06-2026-INT-EN