

Air Excellent distribution box DB206H125 6 connections



Centrotherm
solutions beyond

Article number: 188642




Product introduction

The Air Excellent DB206H125 is designed to radially distribute air from a ventilation unit, minimizing system pressure drop, fan energy use, and sound levels. It is compatible with the 125mm Aerfoam insulated ducts and features 6 Air Excellent AE34C duct connections. With DBOX adaptors, it can connect to any duct diameter within the Air Excellent range. The compact box is ideal for small spaces, it can be installed on ceilings, walls, or floors.

- Includes horizontal adaptor, 6 internal air restrictor rings, and 3 covers for unused connections
- Ideal for optimizing space in small areas
- Made of durable, rust-free, lightweight plastic (PP) for easy handling and installation
- Airtight mechanical connections to minimize pressure loss, fan energy consumption, and sound levels



Product dimensions



Air Excellent distribution box DB206H125 6 connections



Centrotherm
solutions beyond

Article number: 188642

Technical specifications

Specifications	
Technical	
Color	Gray
Anti static	<input checked="" type="checkbox"/>
Antimicrobial	<input checked="" type="checkbox"/>
Performance	
Temperature resistance (min.)	-20 °C
Temperature resistance (max.)	60 °C
Reaction to fire: Euro class	E
Dimensions	
Length gross	400 mm
Width	318 mm
Height	148 mm
Net weight	0.9 kg
Certification	
Certificates (EU)	TÜV TAK 01-2013

© 2026 Ubbink. All rights reserved. | Content is subject to change without notice. Availability and configurations may differ per country. | UB-03-02-2026-INT-EN

Air Excellent distribution box DB206H125 6 connections



Centrotherm
solutions beyond

Article number: 188642

Technical details

Pressure Loss Dbox	
Qv (Volume) [m³/h]	Δp (Pressure Loss) [Pa]
50	2,0
75	3,0
100	4,0
125	5,0
150	8,0
175	10,0
200	12,0
225	14,0
250	-
300	-
350	-

Figures are based on measurements by the TÜV SÜD.